

## UNITED STATES PATENT AND TRADEMARK OFFICE



M

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	. CONFIRMATION NO.	
09/678,032	10/03/2000	Mark B. Lester	1671-0099	5677	
75	90 04/17/2003				
Paul J. Maginot, Esq. Maginot, Addison & Moore Bank One Center/Tower 111 Monument Circle, Suite 3000 Indianapolis, IN 46204-5130			EXAMINER		
			LANDREM, KAMRIN R		
			ART UNIT	PAPER NUMBER	
maianapono, n	1020 7 5150		3738	$\overline{}$	
			DATE MAILED: 04/17/2003	0	

Please find below and/or attached an Office communication concerning this application or proceeding.

	,	Application No.	Applicant(s)			
Office Action Summers		09/678,032	LESTER ET AL.			
	Office Action Summary	Examiner	Art Unit			
*		Kamrin R. Landrem	3738			
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with	the correspondence address -	·-		
THE N - Exter after: - If the - If NO - Failur - Any re	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a repl within the statutory minimum of thirty ( fill apply and will expire SIX (6) MONTH cause the application to become ABAN	y be timely filed  30) days will be considered timely.  IS from the mailing date of this communication  1DONED (35 U.S.C. § 133).	- ation.		
1)	Responsive to communication(s) filed on 24 J	anuary 2003 .				
2a)⊠	This action is <b>FINAL</b> . 2b) ☐ Thi	s action is non-final.				
3) [] Dispositi	Since this application is in condition for allowa closed in accordance with the practice under a on of Claims	nce except for formal matte Ex parte Quayle, 1935 C.D.	rs, prosecution as to the meri 11, 453 O.G. 213.	ts is		
4)🖂	Claim(s) $\underline{31-44}$ is/are pending in the applicatio	n.				
'	4a) Of the above claim(s) is/are withdrav	vn from consideration.				
5)	Claim(s) is/are allowed.					
6)⊠	Claim(s) 31-44 is/are rejected.					
7)	Claim(s) is/are objected to.					
8)□	Claim(s) are subject to restriction and/or	election requirement.				
Application	on Papers					
9) 🗀 7	The specification is objected to by the Examiner	<del>'</del> ,				
10) 🔲 🗆	Fhe drawing(s) filed on is/are: a)□ accep	ted or b) objected to by the	Examiner.			
_	Applicant may not request that any objection to the					
11)[_]1	The proposed drawing correction filed on		approved by the Examiner.			
40\\	If approved, corrected drawings are required in rep	•				
	The oath or declaration is objected to by the Exa	aminer.				
	nder 35 U.S.C. §§ 119 and 120					
	Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. §	I19(a)-(d) or (f).			
a)[	a) ☐ All b) ☐ Some * c) ☐ None of:					
	1. Certified copies of the priority documents					
	2. Certified copies of the priority documents	s have been received in App	lication No			
	Copies of the certified copies of the prior application from the International Buries the attached detailed Office action for a list of the a	reau (PCT Rule 17.2(a)).	•			
	cknowledgment is made of a claim for domestic			eation)		
1	) ☐ The translation of the foreign language pro			allon).		
	Acknowledgment is made of a claim for domesti					
Attachment						
2) Notice	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Info	mmary (PTO-413) Paper No(s) ormal Patent Application (PTO-152)			
U.S. Patent and Tr PTO-326 (Re		tion Summary	Part of Paper	No. 8		

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 31-44 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 31 is rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential structural cooperative relationships of elements, such omission amounting to a gap between the necessary structural connections. See MPEP § 2172.01. The omitted structural cooperative relationships are: There is no clear relationship set forth between the imaginary hemisphere and the cup.

Claim 33 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It appears that the applicant is claiming an "imaginary hemisphere". It is unclear as to what applicant is claiming.

Claim 38, see claim 31.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are

Application/Control Number: 09/678,032

Art Unit: 3738

such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 31-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pratt et al (5,888,205) in view of Amstutz et al (USPN 4,123,806).

Pratt et al. discloses the use of a hemispherical shaped reaming tool to prepare the acetabulum for a low-profile acetabular cup design that is less than a hemisphere. Pratt et al. also discloses the technique of using a reamer that is approximately 2 mm smaller than the desired acetabular cup to insure a secure press-fit. Amstutz et al teaches the use of an acetabular cup that is a millimeter or two less than hemispherical in extent to avoid interference with the femur. Therefore in view of the teachings it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the acetabular cup of Pratt to be less than hemispherical (1-2 mm) to avoid interference or impingement, thereby providing the patient with a full range of motion.

Claims 31 and 38, with regards to a prosthetic hip and reamer assembly comprising a reamer, an acetabular cup having an upper rim which lines in a plane P2, and is spaced apart from an imaginary hemisphere in plane P1 by distance D, wherein  $0.5 \text{ mm} \leq D \leq 2.0 \text{ millimeters}$ . With regards to between the acetabular cup and an imaginary hemisphere may be a millimeter or two less than hemispherical, see col. 6, lines 5-10 of Amstutz. With regards to reamer and method of press-fitting cup, see Pratt et al. col. 1, lines 60-67 and col. 2, lines 1-13.

Claim 32, with regards to approximately 1 millimeter, see col. 6, lines 5-10 of Amstutz.

Claim 33, with regards to cutting head of reamer that is substantially hemispherical, see col. 1, lines 60+ of Pratt. It is obvious that if the reamer were used to prepare the acetabular cup

Application/Control Number: 09/678,032

Art Unit: 3738

for the implant as disclosed in claim 31 (approx. 2mm less than a hemisphere) then the reamer itself would possess a radius that is less than the radius of an imaginary hemisphere.

Claim 34, with regards to radius, see col. 6, lines 5-8 of Amstutz and col. 2, lines 9-11.

Claim 35, see Claim 34.

Claim 36, with regards to bearing insert, see Fig. 2 and col. 2, lines 53-65 of Pratt.

Claim 37, with regards to placement of cup in regards to surface of acetabulum. It is well known in the art to press fit into place the acetabular cup so that it is substantially flush with a surface of the acetabulum to avoid impingement and allow full range of motion. See also, col. 7, lines 34-38 of Amstutz.

Claim 39, see claim 32.

Claim 40, see claim 33.

Claim 41, see claim 34.

Claim 42, see claim 34.

Claim 43, see claim 36.

Claim 44, see claim 37.

## Response to Amendment

The Office acknowledges the amendments to the drawings and specification as requested in the First Office Action. The Office acknowledges the cancellation of claims 1-30 and the addition of new claims 31-44.

Application/Control Number: 09/678,032

Art Unit: 3738

In regards to new claims 31-44, applicant's claims are found to be unpatentable in view of the teachings of Pratt and Amstutz. The original objection in view of Pratt is still relevant and is further supported by the less than hemispherical cup used by Amstutz (col. 6, lines 5-8).

#### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kamrin R. Landrem whose telephone number is 703-305-8061.

The examiner can normally be reached on 8:00-5:00, Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on 703-308-2111. The fax phone numbers for

Art Unit: 3738

the organization where this application or proceeding is assigned are 703-308-3905 for regular communications and 703-308-3905 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.

Kamrin Landrem Examiner AU 3738

KRL April 7, 2003

> llyvcJ. Isabella Primary Examiner